

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2370**

PERIOD OF RECORD: **2018-2022**

MONTH: **January**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	1	1	0	1	3	21
0100	0	0	0	0	1	1	0	1	2	14
0200	0	0	0	0	0	1	0	0	2	7
0300	0	0	0	0	0	1	0	0	2	2
0400	0	0	0	0	0	0	0	0	0	0
0500	0	0	0	0	0	0	0	0	0	1
0600	0	0	0	0	0	0	0	0	0	0
0700	0	0	0	0	0	0	0	0	0	0
0800	0	0	0	0	0	0	0	0	0	0
0900	0	0	0	0	0	0	0	0	0	0
1000	0	0	0	0	0	0	0	0	0	0
1100	0	0	0	0	0	0	0	0	0	0
1200	0	0	0	0	0	0	0	0	0	4
1300	0	0	0	0	0	0	0	0	0	8
1400	0	0	0	0	0	0	0	0	0	3
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
1700	0	0	0	0	0	0	0	0	0	0
1800	0	0	0	0	0	0	0	0	0	0
1900	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0
2100	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	1	1	4	26
2300	0	0	0	0	1	1	1	1	1	30
TOTAL	0	0	0	0	3	5	2	4	14	116

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2219**

PERIOD OF RECORD: **2018-2022**

MONTH: **February**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	0	0	0	2	52
0100	0	0	0	0	0	0	0	0	0	23
0200	0	0	0	0	0	0	0	0	0	13
0300	0	0	0	0	0	0	0	0	0	4
0400	0	0	0	0	0	0	0	0	0	3
0500	0	0	0	0	0	0	0	0	0	1
0600	0	0	0	0	0	0	0	0	0	0
0700	0	0	0	0	0	0	0	0	0	0
0800	0	0	0	0	0	0	0	0	1	1
0900	0	0	0	0	0	0	0	0	0	0
1000	0	0	0	0	0	1	0	0	1	1
1100	0	0	0	0	0	0	0	0	0	2
1200	0	0	0	0	0	0	0	0	0	6
1300	0	0	0	0	0	0	0	0	0	9
1400	0	0	0	0	0	0	0	0	0	2
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
1700	0	0	0	0	0	0	0	0	0	0
1800	0	0	0	0	0	0	0	0	0	0
1900	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0
2100	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	1	58
2300	0	0	0	0	0	0	0	0	1	58
TOTAL	0	0	0	0	0	1	0	0	6	233

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2547**

PERIOD OF RECORD: **2018-2022**

MONTH: **March**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	0	1	3	16	60
0100	0	0	0	0	0	0	0	1	7	43
0200	0	0	0	0	0	0	0	0	1	14
0300	0	0	0	0	0	0	0	0	0	4
0400	0	0	0	0	0	0	0	0	0	1
0500	0	0	0	0	0	0	0	0	0	1
0600	0	0	0	0	0	0	0	0	0	2
0700	0	0	0	0	0	0	0	0	0	1
0800	0	0	0	0	0	0	1	1	1	3
0900	0	0	0	0	0	0	0	1	1	2
1000	0	0	0	0	0	0	0	0	0	0
1100	0	0	0	0	0	0	0	0	2	8
1200	0	0	0	0	0	0	0	0	0	12
1300	0	0	0	0	0	0	0	0	0	12
1400	0	0	0	0	0	0	0	0	0	3
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
1700	0	0	0	0	0	0	0	0	0	0
1800	0	0	0	0	0	0	0	0	0	0
1900	0	0	0	0	0	0	0	0	0	1
2000	0	0	0	0	0	0	0	0	1	1
2100	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	3	64
2300	0	0	0	0	0	0	0	3	15	68
TOTAL	0	0	0	0	0	0	2	9	47	300

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2530**

PERIOD OF RECORD: **2018-2022**

MONTH: **April**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	1	2	0	2	8	44
0100	0	0	0	0	0	1	0	0	3	20
0200	0	0	0	0	0	1	0	0	2	9
0300	0	0	0	0	0	1	0	0	1	5
0400	0	0	0	0	0	1	0	0	1	3
0500	0	0	0	0	0	1	0	0	2	3
0600	0	0	0	0	0	1	0	0	2	4
0700	0	0	0	0	0	0	0	0	2	5
0800	0	0	0	0	0	1	0	0	1	3
0900	0	0	0	0	0	0	0	1	1	2
1000	0	0	0	0	0	0	0	1	2	4
1100	0	0	0	1	1	1	0	1	5	8
1200	0	0	0	0	0	1	0	0	2	6
1300	0	0	0	0	0	0	0	0	1	10
1400	0	0	0	0	0	0	0	0	0	1
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
1700	0	0	0	0	0	0	0	0	0	0
1800	0	0	0	0	0	0	0	0	0	0
1900	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0
2100	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	7	56
2300	0	0	0	0	0	1	0	3	14	64
TOTAL	0	0	0	1	2	12	0	8	54	247

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2472**

PERIOD OF RECORD: **2018-2022**

MONTH: **May**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	0	1	2	7	36
0100	0	0	0	0	0	2	0	0	3	15
0200	0	0	0	0	0	0	0	0	0	8
0300	0	0	0	0	0	0	0	0	1	5
0400	0	0	0	0	0	1	0	0	1	3
0500	0	0	0	0	0	1	0	0	1	3
0600	0	0	0	0	0	0	0	0	1	3
0700	0	0	0	0	0	0	0	1	4	6
0800	0	0	0	0	0	1	0	1	2	3
0900	0	0	0	0	0	1	0	1	3	7
1000	0	0	0	0	1	2	0	3	4	6
1100	0	0	0	0	0	2	1	1	5	9
1200	0	0	0	0	0	1	0	0	2	4
1300	0	0	0	0	0	1	0	0	2	4
1400	0	0	0	0	0	0	0	0	1	1
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
1700	0	0	0	0	0	0	0	0	0	0
1800	0	0	0	0	0	0	0	0	0	0
1900	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0
2100	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	6	50
2300	0	0	0	0	0	0	0	0	10	50
TOTAL	0	0	0	0	1	12	2	9	53	213

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2319**

PERIOD OF RECORD: **2018-2022**

MONTH: **June**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	1	1	0	1	5	13
0100	0	0	0	0	0	2	0	0	3	12
0200	0	0	0	0	0	0	0	1	2	4
0300	0	0	0	0	0	0	0	0	0	1
0400	0	0	0	0	0	0	0	0	1	2
0500	0	0	0	0	0	0	0	0	0	0
0600	0	0	0	0	0	0	0	0	0	0
0700	0	0	0	0	0	0	0	0	0	2
0800	0	0	0	0	0	0	0	0	0	1
0900	0	0	0	0	0	0	0	0	1	3
1000	0	0	0	0	0	0	0	0	2	3
1100	0	0	0	0	0	0	0	0	1	4
1200	0	0	0	0	0	0	0	0	2	2
1300	0	0	0	0	0	0	0	0	0	4
1400	0	0	0	0	0	0	0	0	0	0
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	5	23
2300	0	0	0	0	0	0	0	2	6	19
TOTAL	0	0	0	0	1	3	0	4	28	93

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2385**

PERIOD OF RECORD: **2018-2022**

MONTH: **July**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	1	2	0	2	7	15
0100	0	0	0	0	1	4	0	1	4	14
0200	0	0	0	0	0	2	0	0	2	8
0300	0	0	0	0	0	0	0	0	0	6
0400	0	0	0	0	0	0	0	0	0	4
0500	0	0	0	0	0	0	0	0	1	3
0600	0	0	0	0	0	0	0	1	2	3
0700	0	0	0	0	0	0	0	0	2	4
0800	0	0	0	0	0	0	1	1	2	5
0900	0	0	0	0	0	0	0	1	2	4
1000	0	0	0	0	0	0	0	1	1	3
1100	0	0	0	0	0	0	0	1	2	4
1200	0	0	0	0	0	0	0	0	3	8
1300	0	0	0	0	0	1	0	2	2	8
1400	0	0	0	0	0	0	0	0	0	1
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	1	1	1	2	22
2300	0	0	0	0	0	2	1	4	6	21
TOTAL	0	0	0	0	2	12	3	15	38	133

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2379**

PERIOD OF RECORD: **2018-2022**

MONTH: **August**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	1	0	0	4	14
0100	0	0	0	0	0	3	0	0	4	9
0200	0	0	0	0	0	0	0	0	1	5
0300	0	0	0	0	0	0	0	0	0	5
0400	0	0	0	0	0	0	0	1	2	4
0500	0	0	0	0	0	0	0	1	2	5
0600	0	0	0	0	0	0	0	0	2	4
0700	0	0	0	0	0	0	0	1	2	3
0800	0	0	0	0	0	0	0	0	3	6
0900	0	0	0	0	0	0	0	0	4	4
1000	0	0	0	0	0	0	0	1	2	5
1100	0	0	0	0	0	0	0	0	1	5
1200	0	0	0	0	0	0	0	0	0	4
1300	0	0	0	0	0	0	0	0	1	8
2200	0	0	0	1	1	1	1	1	3	24
2300	0	0	0	0	0	0	0	0	6	25
TOTAL	0	0	0	1	1	5	1	5	37	130

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2319**

PERIOD OF RECORD: **2018-2022**

MONTH: **September**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	5	11	2	8	22	44
0100	0	0	0	0	4	13	0	6	17	34
0200	0	0	0	0	2	7	0	2	9	27
0300	0	0	0	0	1	2	0	3	5	20
0400	0	0	0	0	0	0	0	1	2	10
0500	0	0	0	0	1	1	0	3	5	7
0600	0	0	0	0	1	1	1	3	6	10
0700	0	0	0	0	1	1	0	2	5	8
0800	0	0	0	0	2	2	0	4	5	8
0900	0	0	0	0	1	1	0	2	3	5
1000	0	0	0	0	1	1	1	3	5	7
1100	0	0	0	0	1	2	0	1	6	10
1200	0	0	0	0	0	1	0	1	3	7
1300	0	0	0	0	0	1	0	0	3	5
1400	0	0	0	0	0	0	0	0	0	0
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
1700	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	6	8	2	11	14	46
2300	0	0	0	0	1	5	3	10	25	59
TOTAL	0	0	0	0	27	57	9	60	135	307

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2372**

PERIOD OF RECORD: **2018-2022**

MONTH: **October**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	5	7	0	8	23	42
0100	0	0	0	0	3	8	0	3	10	23
0200	0	0	0	0	2	5	0	3	6	19
0300	0	0	0	0	1	3	0	2	4	12
0400	0	0	0	1	2	4	1	2	6	10
0500	0	0	0	0	0	4	0	0	5	11
0600	0	0	0	0	0	3	0	1	5	7
0700	0	0	0	0	0	0	0	0	1	7
0800	0	0	0	0	1	3	0	3	8	8
0900	0	0	0	0	4	4	0	4	5	8
1000	0	0	0	0	3	4	0	4	4	8
1100	0	0	0	0	2	5	0	2	6	9
1200	0	0	0	0	2	3	0	2	4	11
1300	0	0	0	0	1	3	0	2	4	11
1400	0	0	0	0	0	0	0	0	0	4
1500	0	0	0	0	0	0	0	0	0	2
1600	0	0	0	0	0	0	0	0	0	1
1700	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	4	5	1	5	16	56
2300	0	0	0	0	5	6	2	13	29	57
TOTAL	0	0	0	1	35	67	4	54	136	306

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2335**

PERIOD OF RECORD: **2018-2022**

MONTH: **November**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	1	2	0	3	15	34
0100	0	0	0	0	1	1	0	1	2	15
0200	0	0	0	0	0	1	0	0	3	6
0300	0	0	0	0	0	0	0	1	1	3
0400	0	0	0	0	0	0	0	1	1	2
0500	0	0	0	0	0	0	0	1	1	2
0600	0	0	0	0	0	0	0	1	1	1
0700	0	0	0	0	0	0	0	0	1	3
0800	0	0	0	0	0	0	0	0	0	1
0900	0	0	0	0	0	0	0	1	1	2
1000	0	0	0	0	0	0	0	1	1	1
1100	0	0	0	0	0	0	0	0	1	3
1200	0	0	0	0	0	0	0	0	1	4
1300	0	0	0	0	0	0	0	0	1	4
1400	0	0	0	0	0	0	0	0	0	0
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
1700	0	0	0	0	0	0	0	0	0	0
1800	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	1	1	10	40
2300	0	0	0	0	0	1	1	3	15	44
TOTAL	0	0	0	0	2	5	2	14	55	165

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Buriram Airport**

RWY (TDZ): **04**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2398**

PERIOD OF RECORD: **2018-2022**

MONTH: **December**

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	0	0	0	6	18
0100	0	0	0	0	0	0	0	0	3	11
0200	0	0	0	0	0	0	0	0	0	3
0300	0	0	0	0	0	0	0	0	0	0
0400	0	0	0	0	0	0	0	0	0	0
0500	0	0	0	0	0	0	0	0	0	0
0600	0	0	0	0	0	0	0	0	0	0
0700	0	0	0	0	0	0	0	0	0	0
0800	0	0	0	0	0	0	0	0	0	0
0900	0	0	0	0	0	0	0	0	0	0
1000	0	0	0	0	0	0	0	0	0	0
1100	0	0	0	0	0	0	0	0	0	0
1200	0	0	0	0	0	0	0	0	0	0
1300	0	0	0	0	0	0	0	0	0	0
1400	0	0	0	0	0	0	0	0	0	0
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
1700	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	3	27
2300	0	0	0	0	0	0	0	0	4	29
TOTAL	0	0	0	0	0	0	0	0	16	88

REMARKS: