

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **3984**

PERIOD OF RECORD: **2018-2022**

MONTH: **January**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H_s (FEET)						VIS (METRES)/H_s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.44	17.07
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.61	9.68
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.83
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0630	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0830	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.63
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.83	1.65
MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	1.96

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5016**

PERIOD OF RECORD: **2018-2022**

MONTH: **February**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H_s (FEET)						VIS (METRES)/H_s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.62	21.01
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.43	14.29
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.50	9.77
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.19
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.86
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.19
0530	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.29
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.78	3.10
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.79	1.57
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.75	2.26
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.72	2.88
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.72	5.80
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.60
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.35
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.35
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	5.11
2230	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.14
MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60	5.50

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5638**

PERIOD OF RECORD: **2018-2022**

MONTH: **March**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.79	48.70
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.19	24.68
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.25	12.34
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	9.03
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	7.24
0430	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.30
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.23
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.54
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	7.89
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.31	8.50
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.31	9.15
1100	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.00	1.32	13.82
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.42
1230	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	50.00	50.00
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	10.97
1330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	9.80
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.33
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.65	0.65	0.65	0.65	0.65	0.65	0.65	17.65
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	4.55	40.91
2330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00
MEAN	0.00	0.00	0.04	0.04	0.04	0.07	0.07	0.11	1.60	13.73

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5454**

PERIOD OF RECORD: **2018-2022**

MONTH: **April**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H_s (FEET)						VIS (METRES)/H_s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.68	28.19
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	14.77
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.72
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.04
0330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.41
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.68
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68	1.35	5.41
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67	2.68
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.68
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67	3.33
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.36
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.68	1.37	2.05	7.53
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68	5.41
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	6.04
1330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68	6.08
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.57
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.46
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.48	34.25
MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.18	0.84	8.29

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5376**

PERIOD OF RECORD: **2018-2022**

MONTH: **May**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.00	1.99	8.61
0100	0.00	0.00	0.00	0.00	0.00	1.95	0.00	0.00	3.25	6.49
0200	0.00	0.00	0.00	0.00	0.65	1.31	0.00	0.65	1.31	4.58
0300	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.00	1.32	3.95
0400	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	1.95
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.95
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.61
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	2.58
0730	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00	100.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.94
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.29	6.45
1000	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.65	1.96	3.92
1030	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.66	0.66	0.66	1.97	6.58
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	6.54
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.31	7.84
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.96	9.15
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.69
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.61
2230	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	2.61	11.76
MEAN	0.00	0.00	0.00	0.00	0.04	0.37	0.04	0.22	1.26	5.28

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5092**

PERIOD OF RECORD: **2018-2022**

MONTH: **June**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H_s (FEET)						VIS (METRES)/H_s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.35
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.67
0200	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	3.33
0300	0.00	0.00	0.00	0.00	0.00	1.33	0.00	0.00	1.33	2.00
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.33
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.67
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
0900	0.00	0.00	0.00	0.00	0.00	0.67	0.67	0.67	0.67	1.34
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68	1.36
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	1.33	3.33
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
1400	0.00	0.00	0.00	0.00	0.67	0.67	0.00	0.67	1.33	2.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.34
MEAN	0.00	0.00	0.00	0.00	0.04	0.20	0.04	0.12	0.39	1.57

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5224**

PERIOD OF RECORD: **2018-2022**

MONTH: **July**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.65	2.60	5.19
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	7.79
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29	8.39
0300	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	1.95	7.79
0400	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	3.27	5.23
0500	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.00	1.97	4.61
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	5.96
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.61	6.54
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	3.90
0830	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.90
0930	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.95	4.55
1030	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.00	2.65	6.62
1130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.31	7.19
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	2.60
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.25
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	33.33
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	3.95
2300	0.00	0.00	0.00	0.00	0.00	1.31	0.00	0.00	1.96	6.54
MEAN	0.00	0.00	0.00	0.00	0.00	0.27	0.00	0.08	1.49	5.59

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5206**

PERIOD OF RECORD: **2018-2022**

MONTH: **August**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	1.97	0.00	0.00	2.63	7.24
0100	0.00	0.00	0.00	0.00	0.00	3.29	0.66	0.66	3.29	7.89
0200	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	2.58	11.61
0300	0.00	0.00	0.00	0.65	0.65	1.30	0.00	0.65	1.95	7.79
0330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0400	0.00	0.00	0.00	0.65	0.65	0.65	0.65	0.65	1.29	4.52
0500	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	1.96	2.61
0600	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	1.30	3.25
0630	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.65	1.31	5.23
0800	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.00	0.66	3.29
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	1.32
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	2.60
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.68
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.63
1230	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.30
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	3.29
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	1.96
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	3.25
MEAN	0.00	0.00	0.00	0.08	0.08	0.61	0.08	0.19	1.23	4.26

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5048**

PERIOD OF RECORD: **2018-2022**

MONTH: **September**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	3.38	0.00	0.00	3.38	14.19
0100	0.00	0.00	0.00	0.00	0.68	4.05	0.00	0.68	4.05	14.19
0200	0.00	0.00	0.00	0.00	0.00	4.03	0.00	0.00	4.70	14.77
0230	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0300	0.00	0.00	0.00	0.00	0.68	3.38	0.00	0.68	3.38	9.46
0400	0.00	0.00	0.00	0.00	1.35	2.03	0.00	1.35	2.70	4.73
0430	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	1.35	0.00	0.00	1.35	5.41
0600	0.00	0.00	0.00	0.00	0.00	0.68	0.00	0.00	0.68	3.40
0700	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	2.67
0800	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	3.33
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.01	2.68
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	1.34
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	1.34
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.35
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.70	2.80
2300	0.00	0.00	0.00	0.00	0.70	0.70	0.00	0.70	2.11	11.97
2330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MEAN	0.00	0.00	0.00	0.00	0.20	1.23	0.00	0.20	1.66	5.63

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5152**

PERIOD OF RECORD: **2018-2022**

MONTH: **October**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.63	17.76
0100	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	8.00
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.64
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.33
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.32
0430	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.33
0530	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.99
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.66
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.38	6.90
2230	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67	6.00	16.00
2330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MEAN	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.04	0.66	3.69

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5078**

PERIOD OF RECORD: **2018-2022**

MONTH: **November**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H_s (FEET)						VIS (METRES)/H_s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.08
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.67
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.34
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.36
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
0430	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0830	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67	3.36
2300	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.67	2.00	13.33
MEAN	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.08	0.20	2.24

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5238**

PERIOD OF RECORD: **2018-2022**

MONTH: **December**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H_s (FEET)						VIS (METRES)/H_s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29	9.03
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.90
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0830	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.65	1.30	1.30
2230	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	1.95
MEAN	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.04	0.23	1.18

REMARKS: