

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **3984**

PERIOD OF RECORD: **2018-2022**

MONTH: **January**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	0.00	0.00	3.25
0100	0.00	0.00	0.00	0.00	0.00	2.42
0200	0.00	0.00	0.00	0.00	0.00	1.83
0300	0.00	0.00	0.00	0.00	0.00	2.65
0400	0.00	0.00	0.00	0.00	0.00	4.17
0500	0.00	0.00	0.00	0.00	0.00	4.17
0600	0.00	0.00	0.00	0.00	0.00	3.42
0630	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	1.89
0800	0.00	0.00	0.00	0.00	0.00	1.96
0830	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.90
1000	0.00	0.00	0.00	0.00	0.00	3.28
1100	0.00	0.00	0.00	0.00	0.00	2.48
1200	0.00	0.00	0.00	0.00	0.00	2.44
1300	0.00	0.00	0.00	0.00	0.00	0.83
1400	0.00	0.00	0.00	0.00	0.00	0.90
1500	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	2.44
2300	0.00	0.00	0.00	0.00	0.00	1.65
MEAN	0.00	0.00	0.00	0.00	0.00	2.41

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5016**

PERIOD OF RECORD: **2018-2022**

MONTH: **February**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	0.00	0.00	0.72
0100	0.00	0.00	0.00	0.00	0.00	2.14
0200	0.00	0.00	0.00	0.00	0.00	1.50
0300	0.00	0.00	0.00	0.00	0.00	0.74
0400	0.00	0.00	0.00	0.00	0.00	0.71
0500	0.00	0.00	0.00	0.00	0.00	2.92
0530	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	3.05
0700	0.00	0.00	0.00	0.00	0.00	4.65
0800	0.00	0.00	0.00	0.00	0.00	3.94
0900	0.00	0.00	0.00	0.00	0.00	3.76
1000	0.00	0.00	0.00	0.00	0.00	2.88
1100	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.72
1400	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00
2100	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00
2230	0.00	0.00	0.00	0.00	0.00	0.00
2300	0.00	0.00	0.00	0.00	0.00	0.00
MEAN	0.00	0.00	0.00	0.00	0.00	1.48

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5638**

PERIOD OF RECORD: **2018-2022**

MONTH: **March**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	0.00	0.00	1.30
0100	0.00	0.00	0.00	0.00	0.00	1.95
0200	0.00	0.00	0.00	0.00	0.00	1.95
0300	0.00	0.00	0.00	0.00	0.00	1.94
0400	0.00	0.00	0.00	0.00	0.00	5.92
0430	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	5.96
0600	0.00	0.00	0.00	0.00	0.00	7.19
0700	0.00	0.00	0.00	0.00	0.00	5.23
0800	0.00	0.00	0.00	0.00	0.00	1.97
0900	0.00	0.00	0.00	0.00	0.00	2.61
1000	0.00	0.00	0.00	0.00	0.00	1.31
1100	0.00	0.00	0.00	0.66	0.66	0.66
1200	0.00	0.00	0.00	0.00	0.00	0.00
1230	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.00
1330	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00
2100	0.00	0.00	0.00	0.00	0.00	0.00
2130	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00
2300	0.00	0.00	0.00	0.00	0.00	1.30
2330	0.00	0.00	0.00	0.00	0.00	0.00
MEAN	0.00	0.00	0.00	0.04	0.04	2.13

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5454**

PERIOD OF RECORD: **2018-2022**

MONTH: **April**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	0.00	0.00	4.03
0100	0.00	0.00	0.00	0.00	0.67	4.70
0200	0.00	0.00	0.00	0.00	1.34	4.70
0300	0.00	0.00	0.00	0.00	0.00	6.04
0330	0.00	0.00	0.00	0.00	0.00	0.00
0400	0.00	0.00	0.00	0.00	0.00	6.08
0500	0.00	0.00	0.00	0.00	0.00	12.75
0600	0.00	0.00	0.00	0.00	0.00	16.22
0700	0.00	0.00	0.00	0.00	0.00	12.75
0800	0.00	0.00	0.00	0.00	0.00	10.07
0900	0.00	0.00	0.00	0.00	0.00	8.67
1000	0.00	0.00	0.00	0.00	0.00	4.70
1100	0.00	0.00	0.00	0.00	0.00	6.16
1200	0.00	0.00	0.00	0.00	0.00	2.03
1300	0.00	0.00	0.00	0.00	0.00	0.67
1330	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.68
1500	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00
2100	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.68
2300	0.00	0.00	0.00	0.00	1.37	3.42
MEAN	0.00	0.00	0.00	0.00	0.18	5.68

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5376**

PERIOD OF RECORD: **2018-2022**

MONTH: **May**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H_s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	0.66	1.32	8.61
0100	0.00	0.00	0.00	1.95	2.60	9.74
0200	0.00	0.00	0.65	1.31	3.27	11.76
0300	0.00	0.00	0.00	0.66	2.63	18.42
0400	0.00	0.00	0.00	0.65	1.30	27.27
0500	0.00	0.00	0.00	0.00	0.65	33.12
0600	0.00	0.00	0.00	0.00	0.65	39.22
0700	0.00	0.00	0.00	0.00	0.00	36.77
0730	0.00	0.00	0.00	0.00	0.00	100.00
0800	0.00	0.00	0.00	0.00	0.65	30.97
0900	0.00	0.00	0.00	0.00	1.29	18.06
1000	0.00	0.00	0.00	0.65	1.31	14.38
1030	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.66	0.66	7.24
1200	0.00	0.00	0.00	0.00	0.00	2.61
1300	0.00	0.00	0.00	0.00	0.00	2.61
1400	0.00	0.00	0.00	0.00	0.00	0.65
1500	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00
2100	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	2.63
2230	0.00	0.00	0.00	0.00	0.00	0.00
2300	0.00	0.00	0.00	0.00	0.00	4.58
MEAN	0.00	0.00	0.04	0.37	0.93	15.40

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5092**

PERIOD OF RECORD: **2018-2022**

MONTH: **June**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	0.00	0.68	7.43
0100	0.00	0.00	0.00	0.00	2.00	13.33
0200	0.00	0.00	0.00	0.67	2.00	13.33
0300	0.00	0.00	0.00	1.33	1.33	20.67
0400	0.00	0.00	0.00	0.00	1.33	26.67
0500	0.00	0.00	0.00	0.00	0.67	29.53
0600	0.00	0.00	0.00	0.00	0.67	41.33
0700	0.00	0.00	0.00	0.00	0.00	43.62
0800	0.00	0.00	0.00	0.00	0.00	40.27
0900	0.00	0.00	0.00	0.00	0.00	24.83
1000	0.00	0.00	0.00	0.00	0.00	10.07
1100	0.00	0.00	0.00	0.00	0.00	8.16
1200	0.00	0.00	0.00	0.00	0.00	9.33
1300	0.00	0.00	0.00	0.00	0.00	4.00
1400	0.00	0.00	0.00	0.00	0.00	3.33
1500	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00
2130	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	1.35
2300	0.00	0.00	0.00	0.00	0.00	4.70
MEAN	0.00	0.00	0.00	0.12	0.51	17.71

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5224**

PERIOD OF RECORD: **2018-2022**

MONTH: **July**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	0.65	1.30	9.09
0100	0.00	0.00	0.00	0.00	4.55	12.34
0200	0.00	0.00	0.00	0.00	5.16	22.58
0300	0.00	0.00	0.00	0.65	3.25	22.08
0400	0.00	0.00	0.00	0.65	1.96	32.68
0500	0.00	0.00	0.00	0.66	1.97	40.13
0600	0.00	0.00	0.00	0.00	0.66	45.70
0700	0.00	0.00	0.00	0.00	1.31	44.44
0800	0.00	0.00	0.00	0.00	0.65	34.42
0830	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.65	23.38
0930	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.65	15.58
1030	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.66	0.66	15.89
1130	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.65	9.15
1300	0.00	0.00	0.00	0.00	0.00	5.19
1400	0.00	0.00	0.00	0.00	0.00	3.90
1500	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	5.26
2300	0.00	0.00	0.00	1.31	1.96	11.76
MEAN	0.00	0.00	0.00	0.27	1.49	20.71

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5206**

PERIOD OF RECORD: **2018-2022**

MONTH: **August**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	1.97	3.29	15.79
0100	0.00	0.00	0.00	2.63	4.61	21.05
0200	0.00	0.00	0.00	0.65	7.74	26.45
0300	0.00	0.00	0.00	0.65	5.19	35.06
0330	0.00	0.00	0.00	0.00	0.00	0.00
0400	0.00	0.00	0.00	0.00	1.29	39.35
0500	0.00	0.00	0.00	0.65	0.65	43.79
0600	0.00	0.00	0.00	0.65	1.30	46.10
0630	0.00	0.00	0.00	0.00	0.00	100.00
0700	0.00	0.00	0.00	0.65	1.31	45.10
0800	0.00	0.00	0.00	0.66	1.32	38.16
0900	0.00	0.00	0.00	0.00	0.00	23.18
1000	0.00	0.00	0.00	0.00	0.00	15.58
1100	0.00	0.00	0.00	0.00	0.67	9.40
1200	0.00	0.00	0.00	0.00	0.00	5.92
1230	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	3.25
1400	0.00	0.00	0.00	0.00	0.00	2.63
1500	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.65	7.19
2300	0.00	0.00	0.00	0.00	0.65	11.04
MEAN	0.00	0.00	0.00	0.50	1.69	22.94

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5048**

PERIOD OF RECORD: **2018-2022**

MONTH: **September**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	3.38	6.76	23.65
0100	0.00	0.00	0.68	4.05	7.43	27.03
0200	0.00	0.00	0.00	4.03	10.07	31.54
0230	0.00	0.00	0.00	0.00	0.00	0.00
0300	0.00	0.00	0.68	3.38	7.43	34.46
0400	0.00	0.00	1.35	2.03	3.38	37.84
0430	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	1.35	2.70	49.32
0600	0.00	0.00	0.00	0.68	2.04	48.98
0700	0.00	0.00	0.00	0.67	0.67	42.67
0800	0.00	0.00	0.00	0.67	0.67	31.33
0900	0.00	0.00	0.00	0.00	0.00	14.77
1000	0.00	0.00	0.00	0.00	0.00	6.04
1100	0.00	0.00	0.00	0.00	0.00	8.72
1200	0.00	0.00	0.00	0.00	0.67	4.70
1300	0.00	0.00	0.00	0.00	0.67	6.67
1400	0.00	0.00	0.00	0.00	0.00	6.76
1500	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	1.40	12.59
2300	0.00	0.00	0.70	0.70	1.41	19.01
2330	0.00	0.00	0.00	0.00	0.00	0.00
MEAN	0.00	0.00	0.20	1.23	2.65	23.81

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5152**

PERIOD OF RECORD: **2018-2022**

MONTH: **October**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	0.00	0.00	6.58
0100	0.00	0.00	0.00	0.67	1.33	8.00
0200	0.00	0.00	0.00	0.00	0.66	9.93
0300	0.00	0.00	0.00	0.00	0.67	14.67
0400	0.00	0.00	0.00	0.00	0.66	17.11
0430	0.00	0.00	0.00	0.00	0.00	100.00
0500	0.00	0.00	0.00	0.00	0.00	24.67
0530	0.00	0.00	0.00	0.00	0.00	100.00
0600	0.00	0.00	0.00	0.00	0.00	31.37
0700	0.00	0.00	0.00	0.00	0.00	35.29
0800	0.00	0.00	0.00	0.00	0.00	24.84
0900	0.00	0.00	0.00	0.00	0.66	9.87
1000	0.00	0.00	0.00	0.00	0.00	9.27
1100	0.00	0.00	0.00	0.00	0.00	5.26
1200	0.00	0.00	0.00	0.00	0.00	2.65
1300	0.00	0.00	0.00	0.00	0.00	2.63
1400	0.00	0.00	0.00	0.00	0.00	0.66
1500	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	5.52
2230	0.00	0.00	0.00	0.00	0.00	0.00
2300	0.00	0.00	0.00	0.00	0.00	7.33
2330	0.00	0.00	0.00	0.00	0.00	0.00
MEAN	0.00	0.00	0.00	0.04	0.23	12.77

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5078**

PERIOD OF RECORD: **2018-2022**

MONTH: **November**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	0.00	0.00	3.36
0100	0.00	0.00	0.00	0.00	0.00	3.33
0200	0.00	0.00	0.00	0.00	0.67	4.70
0300	0.00	0.00	0.00	0.00	0.68	4.08
0400	0.00	0.00	0.00	0.00	0.00	4.67
0430	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	8.11
0600	0.00	0.00	0.00	0.00	0.00	16.00
0700	0.00	0.00	0.00	0.00	0.00	21.33
0800	0.00	0.00	0.00	0.00	0.00	14.86
0830	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	6.08
1000	0.00	0.00	0.00	0.00	0.00	3.36
1100	0.00	0.00	0.00	0.00	0.00	2.03
1200	0.00	0.00	0.00	0.00	0.00	0.67
1300	0.00	0.00	0.00	0.00	0.00	0.67
1400	0.00	0.00	0.00	0.00	0.00	1.38
1500	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.67
2300	0.00	0.00	0.00	0.00	0.00	1.33
MEAN	0.00	0.00	0.00	0.00	0.08	5.67

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL C

AERODROME: **Roi-et**

LATITUDE: **16° 7' 0" N** LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **5238**

PERIOD OF RECORD: **2018-2022**

MONTH: **December**

FREQUENCIES (PERCENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES						
TIME (UTC)	H _s (FEET)					
	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 1500	< 5000
0000	0.00	0.00	0.00	0.00	0.00	0.65
0100	0.00	0.00	0.00	0.00	0.00	1.30
0200	0.00	0.00	0.00	0.00	0.00	1.29
0300	0.00	0.00	0.00	0.00	0.00	0.65
0400	0.00	0.00	0.00	0.00	0.00	1.31
0500	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	3.29
0700	0.00	0.00	0.00	0.00	0.00	5.16
0800	0.00	0.00	0.00	0.00	0.00	7.33
0830	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	5.26
1000	0.00	0.00	0.00	0.00	0.00	2.61
1100	0.00	0.00	0.00	0.00	0.00	1.29
1200	0.00	0.00	0.00	0.00	0.00	0.65
1300	0.00	0.00	0.00	0.00	0.00	0.65
1400	0.00	0.00	0.00	0.00	0.00	0.65
1500	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00
2230	0.00	0.00	0.00	0.00	0.00	0.00
2300	0.00	0.00	0.00	0.00	0.00	1.30
MEAN	0.00	0.00	0.00	0.00	0.00	1.95

REMARKS: