

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **1992**

PERIOD OF RECORD: **2018-2022**

MONTH: **January**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 21 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 12 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0630 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0830 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 39 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2508**

PERIOD OF RECORD: **2018-2022**

MONTH: **February**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 29 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 20 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 13 |
| 0300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 0400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 0530 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 8 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 |
| 2230 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 138 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2819**

PERIOD OF RECORD: **2018-2022**

MONTH: **March**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 75 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 38 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 19 |
| 0300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 14 |
| 0400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 11 |
| 0430 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 12 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 13 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 14 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 21 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| 1230 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 17 |
| 1330 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 15 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 27 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 7 | 63 |
| 2330 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 45 | 387 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2727**

PERIOD OF RECORD: **2018-2022**

MONTH: **April**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 42 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 22 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| 0300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 0330 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 8 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 11 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 8 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 9 |
| 1330 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 9 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 50 |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 23 | 226 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2688**

PERIOD OF RECORD: **2018-2022**

MONTH: **May**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 13 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 5 | 10 |
| 0200 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 2 | 7 |
| 0300 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 6 |
| 0400 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 |
| 0730 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 10 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 6 |
| 1030 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 10 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 10 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 12 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 14 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 2230 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 18 |
| TOTAL | 0 | 0 | 0 | 0 | 1 | 10 | 1 | 6 | 34 | 142 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2546**

PERIOD OF RECORD: **2018-2022**

MONTH: **June**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|--|--|-------|-------|-------|-------|--------|--|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H_s (FEET) | | | | | | VIS (METRES)/H_s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 5 |
| 0300 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 3 |
| 0400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 5 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1400 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 2 | 3 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| TOTAL | 0 | 0 | 0 | 0 | 1 | 5 | 1 | 3 | 10 | 40 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2612**

PERIOD OF RECORD: **2018-2022**

MONTH: **July**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | 8 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 12 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 13 |
| 0300 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 12 |
| 0400 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 5 | 8 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 7 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 9 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 10 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 |
| 0830 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| 0930 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 7 |
| 1030 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 10 |
| 1130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 11 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 3 | 10 |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 2 | 39 | 146 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2603**

PERIOD OF RECORD: **2018-2022**

MONTH: **August**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | — | — | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 4 | 11 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 5 | 1 | 1 | 5 | 12 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 18 |
| 0300 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 1 | 3 | 12 |
| 0330 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0400 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 2 | 7 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 4 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 5 |
| 0630 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 8 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 5 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 1230 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 |
| TOTAL | 0 | 0 | 0 | 2 | 2 | 16 | 2 | 5 | 32 | 111 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2524**

PERIOD OF RECORD: **2018-2022**

MONTH: **September**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 5 | 21 |
| 0100 | 0 | 0 | 0 | 0 | 1 | 6 | 0 | 1 | 6 | 21 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 7 | 22 |
| 0230 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0300 | 0 | 0 | 0 | 0 | 1 | 5 | 0 | 1 | 5 | 14 |
| 0400 | 0 | 0 | 0 | 0 | 2 | 3 | 0 | 2 | 4 | 7 |
| 0430 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 8 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 5 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 4 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 5 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 |
| 2300 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 3 | 17 |
| 2330 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 0 | 0 | 0 | 5 | 31 | 0 | 5 | 42 | 142 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2576**

PERIOD OF RECORD: **2018-2022**

MONTH: **October**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 27 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 12 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 0300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0430 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0530 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 10 |
| 2230 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 9 | 24 |
| 2330 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 17 | 95 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2539**

PERIOD OF RECORD: **2018-2022**

MONTH: **November**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0430 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0830 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 20 |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 5 | 57 |

REMARKS:

AERODROME CLIMATOLOGICAL TABLE

MODEL A

AERODROME: **Roi-et**

RWY (TDZ): **R18**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2619**

PERIOD OF RECORD: **2018-2022**

MONTH: **December**

| FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | | | | |
|---|------------------------------------|-------|-------|-------|-------|--------|------------------------------------|--------|--------|--------|
| TIME (UTC) | RVR (METRES)/H _s (FEET) | | | | | | VIS (METRES)/H _s (FEET) | | | |
| | ≤ 50 | ≤ 175 | ≤ 300 | ≤ 550 | ≤ 800 | < 1500 | ≤ 800 | ≤ 1500 | ≤ 3000 | ≤ 5000 |
| | – | – | ≤ 100 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 200 | ≤ 500 | ≤ 1000 | ≤ 1500 |
| 0000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 14 |
| 0100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| 0200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0830 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 1300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 1400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2200 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 2 |
| 2230 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 6 | 31 |

REMARKS: